



**OKLAHOMA STATE**  
UNIVERSITY

# **Interior Finish Standards: SCHEME SUMMARY**

Produced by Long Range Facilities Planning

Updated: July 2022

## INTRODUCTION

In an effort to brand our interiors on the OSU Stillwater campus as well as aid in small renovations on campus, the following document outlines the specifications for four (4) interior finish standard palettes created by Oklahoma State University's Long Range Facilities Planning. These palettes are intended for use on small renovations and may be used for guidance on capital projects overseen by FM CCS under \$4 million. Larger capital projects (over \$4m) will reference our Design Guidelines document also found on the Long Range Facilities Planning website.

All carpet included in this document can be purchased through OSU's established carpet contract re: OSUA&M-RFP-001152-2022.

Prior to any final installation, we strongly encourage mock-up of carpet tile and luxury vinyl tile (LVT) to ensure proper installation direction and to address any manufacture defects prior to final installation.

**Please note the following points when considering selections for your project.**

- a) Many finishes do not cross over successfully to other palettes due to variation in tone, value, and pattern. We kindly request for exceptions to be presented to LRFP for consideration.
- b) We are not mandating that all buildings transition into these schemes. These schemes are intended to guide our project managers in small interior renovations and when transitioning older buildings into a more current branded aesthetic.

## CONTACT

For questions on exceptions or other inquiries, please contact

### **Long Range Facilities Planning**

505 Scott Hall  
Stillwater, OK 74078  
405-744-1062

## TABLE OF CONTENTS

<b>Palette #1: Loyal &amp; True</b> .....	<b>4</b>
A. Interior Paint .....	4
B. Flooring .....	7
C. Additional components .....	18
<b>Palette #2: Alma Mater</b> .....	<b>19</b>
A. Interior Paint .....	19
B. Flooring .....	22
C. Additional components .....	33
<b>Palette #3: Orange Power</b> .....	<b>34</b>
D. Interior Paint .....	34
E. Flooring .....	37
F. Additional components .....	47
<b>Palette #4: Pistol Pete</b> .....	<b>49</b>
D. Interior Paint .....	49
E. Flooring .....	53
F. Additional components .....	66



## Palette #1: Loyal & True Scheme

### “Warm Palette”

**Attributes:**


- Warm undertones.
  - Pops of orange in architectural finishes.
  - Incorporates OSU Bone.
- 

#### A. INTERIOR PAINT

##### FIELD PAINT COLOR | PT-02

MFR: Sherwin Williams


Color: SW 7015 Repose Gray



##### FIELD PAINT COLOR | PT-01

MFR: Oklahoma State University FM


Color: “OSU Bone”



**ACCENT PAINT COLOR | PT-03**

MFR: Sherwin Williams


**Color: SW 7643 Pussywillow**



**ACCENT PAINT COLOR | PT-04**

MFR: Sherwin Williams


**Color: SW 7018 Dovetail**



**ACCENT PAINT COLOR | PT-05**

MFR: Sherwin Williams

**Color: SW 6886 Invigorate**




**FRAME PAINT COLOR | PT-06**

MFR: Sherwin Williams

**Color: SW 7019 Gauntlet Gray**


Paired with RB-01 & TS-01



**CEILING PAINT COLOR | PT-13**

MFR: Sherwin Williams

**Color: SW 7004 Snowbound**



## B. FLOORING

### CARPET | CPT-1A

MFR: Patcraft

**Pattern: Charcoal I0574**


**Color: Umber 00700**

Tile Size: 24" x 24"


TARR: 3.5

Recommended Application:

Moderate Traffic (Offices, Conference Rooms)



Ashlar Installation



Quarter Turn Installation

**CARPET | CPT-1B**

MFR: Patcraft

**Pattern: Color Pop I0381**



**Color: Retro Pop 00650**

Tile Size: 24" x 24"

TARR: 3.0

Recommended Application:

Heavy Traffic (Conference Rooms, Lecture Halls)





**CARPET | CPT-1C**

MFR: Patcraft

**Pattern: Transverse I0520**


**Color: Cornice 00175**

Tile Size: 24" x 24"


TARR: 3.0

Recommended Application:

Heavy Traffic (Conference Rooms, Lecture Halls)



Ashlar Installation



Quarter Turn Installation

**CARPET | CPT-1D**

MFR: Patcraft

**Pattern: Graphite I0575**



**Color: Umber 00700**

Tile Size: 24" x 24"

TARR: 3.5

Recommended Application:

Severe Traffic (Corridors)





**CARPET | CPT-1E**

MFR: Patcraft

**Pattern: Moving I0536**



**Color: Stroll 00540**

Tile Size: 24" x 24"

TARR: 3.5

Recommended Application:

Walk-Off Carpet (Entries/Exits)



**LUXURY VINYL TILE | LVT-01**


MFR: Tarkett

**Pattern: #EFC Crafted Plank**



**Color: Mirabeck Oak #2124**

Tile Size: 6" x 48"

Wear Layer: 30 mil



Herringbone Installation



Plank Installation

**LUXURY VINYL TILE | LVT-02**




MFR: Tarkett

**Pattern: #EUS Urban Stone**

**Color: Millstone #2102**

Tile Size: 18" x 18", 36" x 36" 12" x 36"

Wear Layer: 30 mil





**LUXURY VINYL TILE | LVT-03**


MFR: Tarkett

**Pattern: #EFC Crafted Plank**

**Color: Oak Grove #2122**

Tile Size: 6" x 48"

Wear Layer: 30 mil



**VINYL COMPOSITION TILE | VCT-01**

MFR: Armstrong Flooring

**Pattern: Premium Excelon Raffia Stream**

**Color: Dust 55927**

Tile Size: 12" x 24"

Wear Layer: 1/8 in



**VINYL COMPOSITION TILE | VCT-02**


MFR: Armstrong Flooring

**Pattern: Standard Excelon Imperial Texture**

**Color: Pewter 51908**

Tile Size: 12" x 12"

Wear Layer: 1/8 in, 3/32 in





**VINYL COMPOSITION TILE | VCT-03**

MFR: Armstrong Flooring

**Pattern: Standard Excelon Imperial Texture**

**Color: Silk 59234**

Tile Size: 12" x 12"

Wear Layer: 1/8 in, 3/32 in



### **c. ADDITIONAL COMPONENTS**

#### **WALL BASE | RB-01**

#### **TRANSITION STRIP | TS-01**

MFR: Roppe

**Color: 114 Lunar Dust**

Paired with PT-06




#### **CORNER GUARDS | CG-01**

MFR: Koroseal

**Color: White Corn**

Paired with PT-01



#### **CORNER GUARDS | CG-02**

MFR: Koroseal

**Color: Relaxed Grey**

Paired with PT-02





## Palette #2: Alma Mater Scheme

### “Executive Palette”

#### Attributes:


- Warm undertones.
  - No orange in architectural finishes.
    - Opportunity for orange in FF&E.
  - Incorporates OSU Bone.
- 

#### A. INTERIOR PAINT

##### FIELD PAINT COLOR | PT-02

MFR: Sherwin Williams

Color: SW 7015 Repose Gray



##### FIELD PAINT COLOR | PT-01

MFR: Oklahoma State University FM


Color: “OSU Bone”



**ACCENT PAINT COLOR | PT-03**

MFR: Sherwin Williams


**Color: SW 7643 Pussywillow**



**ACCENT PAINT COLOR | PT-04**

MFR: Sherwin Williams


**Color: SW 7018 Dovetail**



**ACCENT PAINT COLOR | PT-05**

MFR: Sherwin Williams

**Color: SW 6886 Invigorate**




**FRAME PAINT COLOR | PT-07**

MFR: Sherwin Williams

**Color: SW 7674 Peppercorn**


Paired with RB-02 & TS-02



**CEILING PAINT COLOR | PT-13**

MFR: Sherwin Williams

**Color: SW 7004 Snowbound**



## B. FLOORING

### CARPET | CPT-2A

MFR: Milliken

**Pattern: Offbeat**


**Color: OFB79-218 Divergence**

Tile Size: 20" x 20"

TARR: 3.5

Recommended Application:

Moderate Traffic (Offices, Conference Rooms)



Ashlar Installation



**CARPET | CPT-2B**

MFR: Milliken

**Pattern: Viewfinder**



**Color: VF217 Vignette**

Tile Size: 20" x 20"

TARR: 3.5

Recommended Application:

Heavy Traffic (Conference Rooms, Lecture Halls)



**CARPET | CPT-2C**

MFR: Milliken

**Pattern: Panoramic**


**Color: PA117 Vignette**

Tile Size: 20" x 20"

TARR: 3.5

Recommended Application:

Heavy Traffic (Conference Rooms, Lecture Halls)



Ashlar Installation



**CARPET | CPT-2D**

MFR: J+J Flooring

**Pattern: Problem Solved**


**Color: Duct Tape**

Tile Size: 24" x 24"

TARR: 3.5

Recommended Application:

Severe Traffic (Corridors)



**CARPET | CPT-2E**

MFR: J+J Flooring

**Pattern: Pinhole**



**Color: PH417 Vignette**

Tile Size: 24" x 24"

TARR: 3.0

Recommended Application:

Heavy Traffic (Conference Rooms, Lecture Halls)



Ashlar Installation

**CARPET | CPT-2F**

MFR: Patcraft

**Pattern: Access I0533**



**Color: Trek 00590**

Tile Size: 24" x 24"

TARR:

Recommended Application:

Walk-Off Carpet





**LUXURY VINYL TILE | LVT-03**


MFR: Tarkett

**Pattern: #EFC Crafted Plank**

**Color: Oak Grove #2122**

Tile Size: 6" x 48"

Wear Layer: 30 mil



**LUXURY VINYL TILE | LVT-02**




MFR: Tarkett

**Pattern: #EUS Urban Stone**

**Color: Millstone #2102**

Tile Size: 18" x 18", 12" x 36"

Wear Layer: 30 mil



**VINYL COMPOSITION TILE | VCT-01**

MFR: Armstrong Flooring

**Pattern: Premium Excelon Raffia Stream**

**Color: Dust 55927**

Tile Size: 12" x 24"

Wear Layer: 1/8 in



**VINYL COMPOSITION TILE | VCT-02**

MFR: Armstrong Flooring

**Pattern: Standard Excelon Imperial Texture**

**Color: Pewter 51908**

Tile Size: 12" x 12"

Wear Layer: 1/8 in, 3/32 in





**VINYL COMPOSITION TILE | VCT-03**

MFR: Armstrong Flooring

**Pattern: Standard Excelon Imperial Texture**

**Color: Silk 59234**

Tile Size: 12" x 12"

Wear Layer: 1/8 in, 3/32 in





### **c. ADDITIONAL COMPONENTS**

#### **WALL BASE | RB-02**

#### **TRANSITION STRIP | TS-02**

MFR: Roppe

**Color: 123 Charcoal**

Paired With PT-07




#### **CORNER GUARDS | CG-01**

MFR: Koroseal

**Color: White Corn**

Paired with PT-01




#### **CORNER GUARDS | CG-02**

MFR: Koroseal

**Color: Relaxed Grey**

Paired with PT-02





---

## Palette #3: Orange Power Scheme

### “Bold Palette”

**Attributes:**


- Cool undertones.
  - Bold pops of orange in architectural finishes.
- 

#### A. INTERIOR PAINT

**FIELD PAINT COLOR | PT-02**

MFR: Sherwin Williams


**Color: SW 7015 Repose Gray**



**ACCENT PAINT COLOR | PT-08**

MFR: Sherwin Williams


**Color: SW 7650 Ellie Gray**



**ACCENT PAINT COLOR | PT-09**

MFR: Sherwin Williams


**Color: SW 7655 Stamped Concrete**



**ACCENT PAINT COLOR | PT-10**

MFR: Sherwin Williams

**Color: SW 6884 Obstinate Orange**




**FRAME PAINT COLOR | PT-07**

MFR: Sherwin Williams

**Color: SW 7674 Peppercorn**


Paired with RB-02 & TS-02



**CEILING PAINT COLOR | PT-13**

MFR: Sherwin Williams

**Color: SW 7004 Snowbound**



## B. FLOORING

### CARPET | CPT-3A

MFR: Mohawk Group

**Pattern: Hem**

**Color: Skinny 955**

Tile Size: 24" x 24"

TARR: 3.5

Recommended Application:

Moderate Traffic (Staff/Admin Offices)



**CARPET | CPT-3B**

MFR: Mohawk Group

**Pattern: Selvedge**



**Color: Skinny 955**

Tile Size: 24" x 24"

TARR: 3.5

Recommended Application:

Moderate Traffic (Staff/Admin Offices)



**CARPET | CPT-3C**

MFR: Mohawk Group

**Pattern: Jean**

**Color: Skinny 955**

Tile Size: 24" x 24"

TARR: 3.5

Recommended Application:

Severe Traffic (Corridors)





**CARPET | CPT-3D**

MFR: Patcraft

**Pattern: Paseo I0316**



**Color: Obsidian 00595**

Tile Size: 24" x 24"

TARR: 4.0

Recommended Application:

Walk-Off Carpet





**LUXURY VINYL TILE | LVT-02**




MFR: Tarkett

**Pattern: #EUS Urban Stone**

**Color: Millstone #2102**

Tile Size: 18" x 18", 12" x 36"

Wear Layer: 30 mil



**LUXURY VINYL TILE | LVT-06**

MFR: Tarkett

**Pattern: #EUS Urban Stone**

**Color: Gatehouse #2100**

Tile Size: 18" x 18", 12" x 36"

Wear Layer: 30 mil



**LUXURY VINYL TILE | LVT-05**

MFR: Tarkett

**Pattern: #ECF Crafted Plank**

**Color: Aragon #2119**

Tile Size: 6" x 48"

Wear Layer: 30 mil



**VINYL COMPOSITION TILE | VCT-04**

MFR: Armstrong Flooring

**Pattern: Premium Excelon Raffia Stream**

**Color: Thunderstorm 55922**

Tile Size: 12" x 24"

Wear Layer: 1/8 in





**VINYL COMPOSITION TILE | VCT-05**

MFR: Armstrong Flooring

**Pattern: Premium Excelon Raffia Stream**

**Color: Dark Sky 55923**

Tile Size: 12" x 24"

Wear Layer: 1/8 in



**VINYL COMPOSITION TILE | VCT-02**

MFR: Armstrong Flooring

**Pattern: Standard Excelon Imperial Texture**

**Color: Pewter 51908**

Tile Size: 12" x 12"

Wear Layer: 1/8 in, 3/32 in



**VINYL COMPOSITION TILE | VCT-03**

MFR: Armstrong Flooring

**Pattern: Standard Excelon Imperial Texture**

**Color: Silk 59234**

Tile Size: 12" x 12"

Wear Layer: 1/8 in, 3/32 in



## C. ADDITIONAL COMPONENTS


### WALL BASE | RB-02

### TRANSITION STRIP | TS-02

MFR: Roppe

**Color: 123 Charcoal**

Paired with PT-07




### CORNER GUARDS | CG-02

MFR: Koroseal

**Color: Relaxed Grey**

Paired with PT-02







---

## Palette #4: Pistol Pete Scheme

### “Cool Palette”

**Attributes:**


- Cool undertones.
  - Bold pops of orange in architectural finishes.
  - Options to incorporate OSU Bone.
- 

#### A. INTERIOR PAINT

##### FIELD PAINT COLOR | PT-02

MFR: Sherwin Williams

Color: SW 7015 Repose Gray



##### FIELD PAINT COLOR | PT-01

MFR: Oklahoma State University FM

Color: “OSU Bone”




**ACCENT PAINT COLOR | PT-03**

MFR: Sherwin Williams

**Color: SW 7643 Pussywillow**

Paired with PT-01 in this Scheme ONLY.




**ACCENT PAINT COLOR | PT-04**

MFR: Sherwin Williams

**Color: SW 7018 Dovetail**

Paired with PT-01 in this Scheme ONLY.




**ACCENT PAINT COLOR | PT-05**

MFR: Sherwin Williams

**Color: SW 6886 Invigorate**

Paired with PT-01 in this Scheme ONLY.




**ACCENT PAINT COLOR | PT-11**

MFR: Sherwin Williams

**Color: SW 7066 Gray Matters**

Paired with PT-02 in this Scheme ONLY.




**ACCENT PAINT COLOR | PT-12**

MFR: Sherwin Williams

**Color: SW 7067 Cityscape**

Paired with PT-02 in this Scheme ONLY.




**FRAME PAINT COLOR | PT-07**

MFR: Sherwin Williams

**Color: SW Peppercorn**


Paired with RB-02 & TS-02



**CEILING PAINT COLOR | PT-13**

MFR: Sherwin Williams

**Color: SW 7004 Snowbound**





## B. FLOORING

### CARPET | CPT-4A

MFR: Milliken

**Pattern: Freehand**

**Color: Accent, OSU Pantone Custom**

Tile Size: 19" x 19"

TARR: 3.0

Recommended Application:

Moderate Traffic (Staff/Admin Offices)

Heavy Traffic (Conference Rooms, Lecture Halls)



### CARPET | CPT-4B

MFR: Milliken

**Pattern: Inscription**

**Color: Accent, OSU Pantone Custom**


Tile Size: 19" x 19"

TARR: 3.0

Recommended Application:

Moderate Traffic (Staff/Admin Offices)

Heavy Traffic (Conference Rooms, Lecture Halls)



**CARPET | CPT-4C**

MFR: Patcraft

**Pattern: Cube & Colour I0426**


**Color: Tangerine 00650**

Tile Size: 24" x 24"


TARR: 3.5

Recommended Application:

Severe Traffic (Corridors)



Ashlar Installation



Quarter Turn Installation



**CARPET | CPT-4D**

MFR: Patcraft

**Pattern: Realize I0489**



**Color: At Ease 00500**

Tile Size: 24" x 24"

TARR: 3.0

Recommended Application:

Heavy Traffic (Conference Rooms, Lecture Halls)



**CARPET | CPT-4E**

MFR: Patcraft

**Pattern: Possible I0490**


**Color: At Ease 00500**

Tile Size: 24" x 24"


TARR: 3.0

Recommended Application:

Heavy Traffic (Conference Rooms, Lecture Halls)



Ashlar Installation



Quarter Turn Installation



**CARPET | CPT-4F**

MFR: Patcraft

**Pattern: Achieve I0491**



**Color: At Ease 00500**

Tile Size: 24" x 24"

TARR: 3.0

Recommended Application:

Heavy Traffic (Conference Rooms, Lecture Halls)



**CARPET | CPT-4G**

MFR: Patcraft

**Pattern: Access I0533**



**Color: Trek 00590**

Tile Size: 24" x 24"

TARR: 3.5

Recommended Application:

Walk-Off Carpet





**LUXURY VINYL TILE | LVT-02**




MFR: Tarkett

**Pattern: #EUS Urban Stone**

**Color: Millstone #2102**

Tile Size: 18" x 18", 12" x 36"

Wear Layer: 30 mil



**LUXURY VINYL TILE | LVT-06**

MFR: Tarkett

**Pattern: #EUS Urban Stone**

**Color: Gatehouse #2100**

Tile Size: 18" x 18", 12" x 36"

Wear Layer: 30 mil



**LUXURY VINYL TILE | LVT-05**

MFR: Tarkett

**Pattern: #ECF Crafted Plank**


**Color: Aragon #2119**

Tile Size: 6" x 48"

Wear Layer: 30 mil



Herringbone Installation



Unidirectional Installation



**VINYL COMPOSITION TILE | VCT-06**

MFR: Armstrong Flooring

**Pattern: Premium Excelon Raffia Stream**

**Color: Rain 55901**

Tile Size: 12" x 24"

Wear Layer: 1/8 in



**VINYL COMPOSITION TILE | VCT-07**

MFR: Armstrong Flooring

**Pattern: Standard Excelon Imperial Texture**

**Color: Sterling 51904**

Tile Size: 12" x 12"

Wear Layer: 1/8 in, 3/32 in



**VINYL COMPOSITION TILE | VCT-03**

MFR: Armstrong Flooring

**Pattern: Standard Excelon Imperial Texture**

**Color: Silk 59234**

Tile Size: 12" x 12"

Wear Layer: 1/8 in, 3/32 in



**VINYL COMPOSITION TILE | VCT-08**


MFR: Armstrong Flooring

**Pattern: Standard Excelon Imperial Texture**

**Color: Charcoal 51915**

Tile Size: 12" x 12"

Wear Layer: 1/8 in, 3/32 in



## C. ADDITIONAL COMPONENTS


### WALL BASE | RB-02

### TRANSITION STRIP | TS-02

MFR: Roppe

**Color: 123 Charcoal**

Paired with PT-07




### CORNER GUARD | CG-01

MFR: Koroseal

**Color: White Corn**

Paired with PT-01



### CORNER GUARD | CG-02

MFR: Koroseal

**Color: Relaxed Grey**

Paired with PT-02

